ELSEVIER

Volume 138, Issues 1–3, 20 July 2003

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Innovation and new technology for the new millenium 1
K.C. Chan, C.Y. Tang, W.B. Lee

The evaluation of manufacturing issues in the product development process 2
M.H. Müller, A.C. Fairlie-Clarke

Co-existence of paradigms as a manufacturing management strategy 9
R.A. Reid, E.L. Koljonen

Advanced manufacturing system for forging products 16
S. Reinsch, B. Müssig, B. Schmidt, K. Tracht

Effect of residual stress on thermal fatigue in a type 420 martensitic stainless steel weldment 22
Y.C. Lin, S.C. Chen

Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures 28
T. Senthilvelan, K. Raghukandan, A. Venkatraman

Large deflection analysis of composite laminates 34
Y. Zhang, S. Wang, B. Petersson

Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying 41
N.T. Rochman, S. Kuramoto, R. Fujimoto, H. Sueyoshi

Modelling and finite element treatment of intra-ply shearing of woven fabric 47
X. Yu, L. Zhang, Y.-W. Mai

Modelling cloud data for prototype manufacturing 53
G.H. Liu, Y.S. Wong, Y.F. Zhang, H.T. Loh

Preform design in hydroforming of automobile lower arm by FEM 58
J. Kim, L.-P. Lei, B.-S. Kang

Study of the corrosion properties of zinc–nickel alloy electrodeposits before and after chromating 63
M. Heydarzadeh Sohi, M. Jalali

Joining of engineering thermoplastics by concentrated beam insolation—a feasibility study 67
L.A. Stoynov, P.K.D.V. Yarlagadda

Statistical analysis on accuracy of wax patterns used in investment casting process 75
P.K.D.V. Yarlagadda, T.S. Hock

A PDM- and CAD-integrated assembly modelling environment for manufacturing planning 82
N.W. Bowland, J.X. Gao, R. Sharma

The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints 89
K.C. Shin, J.O. Lim, J.J. Lee

Study of hot deformation through energy storage concept 97
K.P. Rao, R.K. Oruganti

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**

Elsevier Science B.V.

Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples 102
D. Triantafyllidis, M.J.J. Schmidt, L. Li

An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping 109
M.J.J. Schmidt, L. Li, J.T. Spencer

Lapping and polishing process for obtaining super-smooth surfaces of quartz crystal 116
J.L. Yuan, P. Zhao, J. Ruan, Z.X. Cao, W.H. Zhao, T. Xing

The influence of the thickness of a bimetallic layer (18G2A + 0H18N10T) on the distribution of the relative flow rate in asymmetrical rolling 120
D. Rydz, H. Dyja, M. Krakowiak

Fault diagnosis of water hydraulic actuators under some simulated faults 123
A.C.H. Tan, P.S.K. Chua, G.H. Lim

Global distributed engineering—integrating different process paradigms 131
A. Karcher, M. Glander

Boundary-conformed toolpath generation for trimmed free-form surfaces via Coons reparametrization 138
D.C.H. Yang, J.J. Chuang, Z. Han, S. Ding

Computer-aided design and manufacturing of scroll compressors 145
Z. Jiang, D.K. Harrison, K. Cheng

Micromilling of metallic materials 152
M. Takács, B. Verö, I. Mészáros

Comparative study of the flow characteristics of AlCu2SiMn alloy 156
A. Gontarz

An approach for creating solid models from orthogonal views by identification of Boolean operations 163
K.S. Tam, J. Atkinson

Evaluation of strain and material flow in sheet-metal forming 170
R. Čada

Tools optimisation in cross-wedge rolling 176
Z. Pater

Theoretical analysis of the asymmetric rolling of sheets on leader and finishing stands 183
J. Markowski, H. Dyja, M. Knapiński, A. Kawałek

Using air streams for part feeding systems—innovative and reliable solutions for orientation and transport 189
H.-P. Wiendahl, A. Rybarczyk

Influence of deformation parameters on grain size of AlSi1Mg alloy in forging 196
W. Weroński, A. Gontarz

Modelling of the dynamic tool–chip interface in metal cutting 201
H.S. Qi, B. Mills

Influence of manufacturing tolerance on aircraft direct operating cost (DOC) 208
R. Curran, A. Kundu, S. Raghunathan, D. Eakin, R. McFadden

Rapid laminated tooling 214
D.I. Wimpenny, B. Bryden, I.R. Pashby

Comparative tribological study of hard and crack-free electrodeposited chromium coatings 219
M. Heydarzadeh Sohi, A.A. Kashi, S.M.M. Hadavi

A fuzzy set AHP-based DFM tool for rotational parts 223
S.K. Ong, M.J. Sun, A.Y.C. Nee

Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys 231
H.-C. Hsu, S.-S. Lian

Buyer–supplier relationship: perspectives between Hong Kong and the United Kingdom 236
P. Humphreys, W.K. Shiu, V.H.Y. Lo

Predicting purchasing performance: the role of supplier development programs 243
L. Wen-li, P. Humphreys, L.Y. Chan, M. Kumaraswamy

Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming 250
H. Ike

Application of the explosive method for creating nitrogen layers 256
A. Kawałek, H. Dyja, A. Maranda, J. Nowaczewski

Computer aided design and manufacture of streamlined extrusion dies 262
R. Narayanasamy, P. Srinivasan, R. Venkatesan

A study of system dynamics in just-in-time logistics 265
C.L. Lai, W.B. Lee, W.H. Ip

Panorama of toys design and development in Hong Kong 270
C.K. Law, S.F. Chan

The reconfiguration issues in manufacturing systems 277
S.M. Saad

Effect of recrystallisation on the residual stress pattern and fatigue behaviour of titanium alloy IMI-685 284
B.R. Sridhar, D. Mehta, K.A. Padmanabhan

Effect of residual stresses in a filament wound laminated conical shell 291
E. Mahdi, A.M.S. Hamouda, B.B. Sahari, Y.A. Khalid

Integration of scheduling with computer aided process planning 297
M. Kumar, S. Rajotia

A new model of the customer–supplier partnership in new product development 301
G.Q. Huang, K.L. Mak, P.K. Humphreys

Macrosegregation in thin walled castings produced via the direct squeeze casting process 306
D.J. Britnell, K. Neailey

Bent pultrusion—a method for the manufacture of pultrudate with controlled variation in curvature 311
D.J. Britnell, N. Tucker, G.F. Smith, S.S.F. Wong

Die shape optimal design in cold and hot extrusion 316
S.M. Byon, S.M. Hwang

Analysis of dynamic dispatching rules for a flexible manufacturing system 325
F.T.S. Chan, H.K. Chan, H.C.W. Lau, R.W.L. Ip

Convection cooling of a continuously moving surface in manufacturing processes 332
C.-H. Chen

A study on precision cold forging process improvements for the steering yoke of automobiles by the rigid–plastic finite-element method 339
D.-K. Min, M.-E. Kim

A database oriented process control design algorithm for improving deep-drawing performance 343
H. Koyama, K.-i. Manabe, S. Yoshihara

Integrating environmental criteria into the supplier selection process 349
P.K. Humphreys, Y.K. Wong, F.T.S. Chan

Research in spray forming technology and its applications in metallurgy 357
J.G. Zhang, H.S. Shi, D.S. Sun

Optimization of process conditions for the transfer molding of electronic packages 361
K.W. Tong, C.K. Kwong, K.W. Ip

A twin-roll caster to cast clad strip 366
T. Haga, S. Suzuki

Development of a resource planning system for compound semiconductor wafer manufacturing 372
D.-G. Na, W. Jang, D.-W. Kim

Study of the gyroscopic effect of the spindle on the stability characteristics of the milling system 379
G.L. Xiong, J.M. Yi, C. Zeng, H.K. Guo, L.X. Li

On chopping–extrusion of integral-fin copper tubes 385
W. Xia, B. Wu, Y. Tang, B. Ye

The establishment and analysis of fin formation model during ploughing process 390
T. Yong, L. Shudao, X. Wei, Z. Zhixin, Y. Bangyan

Mechanical alloying of refractory metal–silicon systems 394
L. Liu, K. Cui

Comparison of surface heat-transfer coefficients between various diameter cylinders during rapid cooling 399
C. Heming, H. Xieqing, X. Jianbin

Modeling and simulating of the fast roll casting process 403
X.Q. Li, M.H. Huang, S.C. Hu, Z.H. Zhu, L.H. Zhan, J. Zhong

A study of the melt flow behaviour of ABS/$CaCO_3$ composites 408
C.Y. Tang, J.Z. Liang

High power diode laser cladding. 411
S. Barnes, N. Timms, B. Bryden, I. Pashby

A method to characterise superplastic materials in comparison with alternative methods 417
L. Carrino, G. Giuliano, W. Polini

Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique 423
H.-W. Li, S. Amada, M. Epinat

Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing 429
D. Su, D. Qin

Development of a CAD/CAM system for the closed-die forging process 436
M. Jolgaf, A.M.S. Hamouda, S. Sulaiman, M.M. Hamdan

Metal spray tooling for composite forming 443
D.I. Wimpenny, G.J. Gibbons

An integrated strategy for materials characterisation and process simulation in electrochemical machining 449
A.R. Mount, D. Clifton, P. Howarth, A. Sherlock

Adhesion improvement of CVD diamond film by introducing an electro-deposited interlayer 455
D. Zuo, X.F. Li, M. Wang, L. Li, W.Z. Lu

An approach to gouging avoidance for sculptured surface machining 458
C. Wenliang, Z. Jianjiang, L. Lei, D. Qiulin

Kinematic analysis of a biglide parallel grinder 461
P. Zou

The effect of machining on the surface properties of SiC/Al composites 464
Y. Quan, B. Ye

Experimental research on the dynamic characteristics of the cutting temperature in the process of high-speed milling 468
C. Ming, S. Fanghong, W. Haili, Y. Renwei, Q. Zhenghong, Z. Shuqiao

Study on a reconfigurable model of an open CNC kernel 472
W. Yuhan, H. Jun, L. Ye

Analysis of the wear characteristics of an EDM electrode made by selective laser sintering 475
J. Zhao, Y. Li, J. Zhang, C. Yu, Y. Zhang

A study of aluminum bronze adhesion on tools during turning. 479
Y. Li, T.L. Ngai, W. Xia, Y. Long, D. Zhang

An experimental study on molecular dynamics simulation in nanometer grinding. 484
B. Lin, S.Y. Yu, S.X. Wang

Experimental study on the milling of thin parts of titanium alloy (TC4) 489
Z. Guimu, Y. Chao, S.R. Chen, A. Libao

Model reconstruction from cloud data 494
L.Y. Zhang, R.R. Zhou, L.S. Zhou

3D upper-bound modeling for round-to-triangle section extrusion using the SERR technique. 499
R.K. Sahoo, P.K. Kar, S.K. Sahoo

Effects of process parameters and alloy compositions on the pore structure of foamed aluminum. 505
H. Fusheng, W. Jianning, C. Hefa, G. Junchang

New research on the stress field of elastic–plastic small deformation problems 508
Y. Li

A solid model-based milling process simulation and optimization system integrated with CAD/CAM. 513
Z.Z. Li, M. Zheng, L. Zheng, Z.J. Wu, D.C. Liu

Quasi-mode shape based dynamic finite element model updating method 518
Y.X. Wu, J. Zhong, C. Conti, P. Dehombreux

Feasibility of gentle mode machining of brittle materials and its condition 522
T. Shirakashi, T. Obikawa

Machining precision in the face grinding of a groove bottom using a cup CBN quill 527
Q.S. Yan, Z.Q. Zhang, K. Syoji

Hexahedral mesh generation for remeshing in three-dimensional metal forming analyses 531
D.-Y. Kwak, Y.-T. Im

Machinability data representation with artificial neural network 538
S.V. Wong, A.M.S. Hamouda

A fundamental study of can forming by the stretch-drawing process 545
M. Gotoh, Y.-s. Kim, M. Yamashita

The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction 551
J. Lawrence, L. Li

Lateral extrusion of A6063 aluminum alloy pipes with a lost core 560
T. Ohashi, K. Hayashi

An experimental study on the deep-drawing of metal-wire cloth 564
M. Gotoh, M. Yamashita, M. Itoh

Theoretical analysis on chatter vibration in drilling and its suppression 572
S. Ema, E. Marui

An economical sculptured surface machining approach using fuzzy models and ball-nosed cutters 579
R.W.L. Ip, H.C.W. Lau, F.T.S. Chan

Factors affecting form accuracy in diamond turning of optical components 586
M. Zhou, B.K.A. Ngoi

Web-ERP: the new generation of enterprise resources planning 590
J.K.C. Ng, W.H. Ip

Process design for hydroforming of lightweight metal sheets at elevated temperatures 594
S. Novotny, M. Geiger

A web-based collaborative product design platform for dispersed network manufacturing 600
H.F. Zhan, W.B. Lee, C.F. Cheung, S.K. Kwok, X.J. Gu

The principle and technology of electromagnetic roll casting 605
D. Mao, H. Yan, X. Zhao, Z. Zhu, J. Zhong

An investigation on the formation and propagation of shear band in fine-blanking process 610
Z.H. Chen, L.C. Chan, T.C. Lee, C.Y. Tang

Author Index 615
Subject Index 617